PRINTED: 08/18/2014 FORM APPROVED

Kansas Department on Aging

STATEMENT OF DEFICIENCIES		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION (X			(X3) DATE SURVEY	
AND PLAN OF CORRECTION		IDENTIFICATION NUMBER:	A. BUILDING:		COMPLETED		
B046050		B. WING		08/18/2014			
NAME OF PI	ROVIDER OR SUPPLIER	STREET ADD	RESS, CITY, STA	TE, ZIP CODE			
COMFOR	Γ CARE HOMES OF KC #	[‡] 7001	69TH STREE				
			D PARK, KS 6				
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPF DEFICIENCY)	BE	(X5) COMPLETE DATE	
S 000	INITIAL COMMENTS		S 000				
	The following citations represent the findings of an initial survey conducted at the above named home plus facility on 8-14-14 and 8-18-14.						
S5205 SS=J	205 26-42-104 (a) Disaster and Emergency Preparedness a) The administrator or operator of each home plus shall ensure the provision of a sufficient number of staff members to take residents who would require assistance in an emergency or disaster to a secure location. This REQUIREMENT is not met as evidenced by: KAR 26-42-104(a)		S5205				
	sample included 3 reserview and interview and interview ampled residents an non-sampled resident transfer, the operator provision of a sufficient shift to take residents assistance to a secur placed residents in the jeopardy related to intake residents requiring emergency or disaster secure location.	ts requiring 2 staff for failed to ensure the nt number of staff on night who would require e location. This failure is facility in immediate sufficient staff available to					
	Findings included:						
	resident census of 8 r	who would require 2 staff for					

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE

PRINTED: 08/18/2014 FORM APPROVED

Kansas Department on Aging

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED			
		B046050	B. WING		08/1	8/2014		
NAME OF PI	ROVIDER OR SUPPLIER	STREET ADD	RESS, CITY, STA	TE, ZIP CODE				
COMEOD	COMFORT CARE HOMES OF KC #7001 7001 WEST 69TH STREET							
COMI OK	CARE HOMES OF RO	OVERLAN	D PARK, KS 6	6204				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPR DEFICIENCY)	JLD BE COMPLETE			
S5205	Continued From page 1		S5205					
	require a mechanical lift.							
	12:05 pm with license following: Resident # due to weakness and lift; resident #200 was use of a mechanical I person transfer becauable to bear weight; a person transfer and diff.	at 100 was a 2 person transfer does not use a mechanical so a 2 person transfer with lift; resident #500 was a 2 use he/she is not always and resident #600 was a 2 lid not require a mechanical						
	scheduling and there on the resident roster members for transfer 2-14-13 had one 12-h from 7am to 7pm and additional caregiver of 4-22-13 when resider started having 2 care because resident #50 One caregiver from 7 with one 24 hour staff basement to sleep at needed. This schedul Beginning 5-25-14 th 7am to 7pm and 7pm 8-hour shift caregiver to 10pm. Starting at staffed to "float" be another facility. Confiwhen the 10pm to 6a available for emerger be at the other house	confirmed he/she did the were 4 residents identified as requiring 2 staff assistance. Stated from four caregiver at all times 7pm to 7am with an faily from 8 am to 2 pm. On the #500 was admitted, they givers around the clock of 100 was a 2 person transfer. If am to 7pm and 7pm to 7am, of member who went to the 10pm but was there if the lasted until 5-24-14. They staffed one caregiver to 7am. Also staffed one from 6am to 2pm and 2pm 10pm a caregiver was the their were times are caregiver would not be noted because he/she would are were 2-person transfer.						

PRINTED: 08/18/2014 FORM APPROVED

Kansas Department on Aging

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:			(X3) DATE SURVEY COMPLETED	
		B046050	B. WING		08/1	8/2014	
COMFORT CARE HOMES OF KC #7001 7001 WEST			DRESS, CITY, STATE, ZIP CODE T 69TH STREET ID PARK, KS 66204				
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE	(X5) COMPLETE DATE	
S5205	conducted a drill that residents with the use night shift to determin performed safely and staff person. The facility reported a dementia/and or imparoster identified 4 resiperson/staff transfer. facility scheduled one night shift (10 pm to 6 facility and would not transfers in the event facility had not conduct evacuation of residen staff to determine if an performed safely and staff person. For residents #100, # operator failed to ensignation of the sufficient number of seriodents who would be mergency or disaster failure placed resident immediate jeopardy reavailable to take resident emergency or disaster an emergency or disaster secure location.	at 8:30 am with confirmed facility had not included evacuation of a of 1 staff member on the e if an evacuation could be in a timely manner with 1 I census of 8 residents with sired cognition. The facility dents who required a 2 Beginning 5-25-14, the certified staff to work the am) who floated to another be available to assist with of an emergency. The ceted a drill that included the with the use of only 1 in evacuation could be in a timely manner with 1 200, #500 and #600, the ure the provision of a taff members to take require assistance in an or to a secure location. This is in this facility in elated to insufficient staff lents requiring assistance in ster during the night to a	\$5205				